

EXHIBIT 5A

Meg Springli

From: Town of Clifton Park <noreply@cliftonpark.org>
Sent: Monday, February 21, 2022 12:35 PM
To: Dahn Bull
Cc: Meg Springli
Subject: Resolution Request for TB Meeting: 02-28-2022
Attachments: 6213cd59ee7af-2024 Single Axle Plow Truck.pdf; 6213cd59ef712-2024 Tandem Plow Truck.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Thank you. Your resolution request has been submitted. ***Please confirm that the attachments in this email are complete.*** If not, please send them to mspringli@cliftonpark.org prior to the submittal deadline. Incomplete submissions may result in delays.

Department: Highway Department
Your email: dbull@cliftonpark.org

Sponsor/Contact as shown on the agenda (i.e. P. Barrett, A. Standaert, D. Bull, etc.): D. Bull

Requested Meeting Date: 02-28-2022

Brief Description: The resolution should allow the Highway Superintendent to order new plow trucks. Payment of the trucks would not be until delivery, which is looking like 2024.

Budget #:
Budget Description:
\$ Amount: \$1,383,040.00

Additional Comments/Details:

Is this piggy back? 2018? Contract still valid?
Copy of Contract.
How many trucks?
How many of each?
Accessories?
Who is vendor?

6 Resolution No. _____ of 2022, a resolution authorizing the Highway Department to order ~~xxx~~ dump trucks with snowplows and spreaders from Navistar, Inc. (?) and Viking Cives (USA?).

Introduced by _____, who moved its adoption, seconded by _____.

WHEREAS, by Resolution No. 262 of 2021, the Town Board authorized, Highway Superintendent, Dahn Bull, to commence a procurement process to acquire up to six new plow trucks with a predicted lead time of 12-18 months due to supply chain disruptions, and

WHEREAS, Mr. Bull has requested authorization to place an order for snowplows estimated available to be delivered in 2024, in a total amount not to exceed \$1,383,040.00, using the piggyback option from the 2018 Contract #8996 of Onondaga County, attached, whose bids were opened on June 7, 2018, with prices good through 6/23/23, for the following:

see memo

x# of 2024 HV507 SFA single axle plow truck (Navistar?) listed at	\$71,040.20 each	✓
x# of Single Axle Plow and Dump Body (from Viking Cive?) listed at	\$126,845.30 each	✓
x# of Chassis options (Navistar?) listed at	\$56,772.00 each	✓
x# of discounts	-\$31,525.30 each	✓
x# of Warranty and local purchase discount listed at	\$5,163.00 each	✓
SubTotal per unit	\$228,295.20 each	✓
5 x ?? (Unclear number of single axle plow units)	\$ x,xxx,xxx.xx	
x# of 2024 HV520 SFA Tandem plow truck (Navistar?) listed at	\$127,573.60 each	✓
x# of Single Axle Plow and Dump Body (from Viking Cive?) listed at	\$104,219.90 each	✓
x# of Chassis options (Navistar?) listed at	\$50,680.00 each	✓
x# of discounts	-\$45,358.50 each	✓
x# of Warranty and local purchase discount listed at	\$4,449.00 each	✓
1 SubTotal per unit	\$241,564.00 each	✓
x ?? (Unclear number of tandem plow units)	\$xxx,xxx.xx	

Total

\$x,xxx,xxx.xx

\$ 1,383,040

Now, therefore, be it

RESOLVED, that the Superintendent of Highways is authorized to proceed with placing an order with Navistar, Inc., 399 Albany Shaker Road, Suite 202, Loudonville, NY 12211, to be paid at time of delivery in a total amount not to exceed \$1,383,040.00 from a municipal lease.

Dahn's corrections
on 3/3/22

()

NYS MUNICIPAL QUOTE FORM


RECEIVED FEB 21 2022

CONTRACT# 8996 Heavy/MediumDATE 1/11/2022

Municipality Town of Clifton Park
Address 1 Town Hall Plaza
City Clifton Park NY 12065

Telephone 518-370-7108
Fax _____
Contact Dahn Bull

Model	Description	List base price	\$
<u>HV507</u>	<u>Dump/Plow/Wing</u>	<u>101,486.00</u>	
	Chassis Contract Price Factor	<u>.70%</u>	
	Subtotal Chassis Contract Price	<u>\$ 71,040.20</u>	



Model Profile
2024 HV507 SFA (HV507)

AXLE CONFIG:	4X2
APPLICATION:	Front Plow and Wing with Spreader
MISSION:	Requested GVWR: 47120. Calc. GVWR: 47120. Calc. GCWR: 80000 Calc. Start / Grade Ability: 23.65% / 2.55% @ 55 MPH Calc. Geared Speed: 78.8 MPH
DIMENSION:	Wheelbase: 173.00, CA: 98.00, Axle to Frame: 61.00
ENGINE, DIESEL:	{Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer I-200W} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S30-190D} Single Reduction, 30,000-lb Capacity, Driver Control Locking Differential, W Wheel Ends Gear Ratio: 5.38
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(4) 12R22.5 Load Range H HDR2+ (CONTINENTAL), 479 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs
PAINT:	Cab schematic 100WK Location 1: 0311, Omaha Orange (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
HV50700	Base Chassis, Model HV507 SFA with 173.00 Wheelbase, 98.00 CA, and 61.00 Axle to Frame.	\$101,486.00
1ANA	AXLE CONFIGURATION {Navistar} 4x2	\$0.00
	<u>Notes</u> : Pricing may change if axle configuration is changed.	
1CGE	FRAME RAILS Heat Treated Alloy Steel (125,000 PSI Yield); 11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x 12.7mm); 480.8" (12212mm) Maximum OAL	\$2,318.00
1LLA	BUMPER, FRONT Swept Back, Steel, Heavy Duty	\$0.00
1UAM	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille	\$695.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	\$0.00
1WMA	CROSSMEMBER, INTERMEDIATE (1) 5-Piece in lieu of Each Single Dogbone with 4x2 & 4x4 Chassis; Each Double Dogbone with 6x4, 6x6 & 8x6 Tridem Chassis	\$429.00
2AEW	AXLE, FRONT NON-DRIVING {Dana Spicer I-200W} Wide Track, I-Beam Type, 20,000-lb Capacity	\$2,716.00
	<u>Notes</u> : Axle Lead Time is 52 Days	
3ACS	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers	\$595.00
3WAJ	SPRINGS, FRONT AUXILIARY Air Bag, Right Side Only, Driver Control	\$770.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6	
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$542.00
	<u>Notes</u> : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.	
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank	\$0.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	\$526.00
4ETG	BRAKE CHAMBERS, FRONT AXLE {MGM} 24 SqIn	\$47.00
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 SqIn Spring Brake	\$150.00
4LAG	SLACK ADJUSTERS, FRONT {Gunite} Automatic	\$0.00
4LGG	SLACK ADJUSTERS, REAR {Gunite} Automatic	\$0.00
4LGR	SLACK ADJUSTER PINS Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear	\$80.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VGN	AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	\$432.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$50.00
4VKJ	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail	\$91.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$70.00
4XDB	BRAKES, REAR {Bendix Spicer ES-165-7H} Air S-Cam Type, Heavy Duty Cast Spider, Cast Shoe, Double Anchor Pin, Size 16.5" X 7", 45,000-lb Capacity per Axle	\$0.00
4XDL	BRAKES, FRONT {Bendix Spicer ES-165-6X} Air S-Cam Type, Heavy Duty Fabricated Spider, Fabricated Shoe, Single Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	(\$1,168.00)
5708	STEERING COLUMN Tilting	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	\$1,159.00
6DGC	DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2	\$612.00
7BEU	AFTERTREATMENT COVER Aluminum	\$278.00
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$2,128.00
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	\$2,446.00
7WBA	TAIL PIPE (1) Turnback Type, Bright	\$208.00
7WDM	EXHAUST HEIGHT 10'	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u>	
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel	
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: STARTER SWITCH Electric, Key Operated	
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	\$46.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8HAU	BODY BUILDER WIRING INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn	\$302.00
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	\$413.00
8MJV	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud	\$459.00
8REA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$163.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	\$138.00
8RPR	ANTENNA for Increased Roof Clearance Applications	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
8TME	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers with Amber or Side Turn Lamps	\$439.00
8TNP	AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$178.00
8VTR	BATTERY BOX Aluminum, with Plastic Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab	\$568.00
8VZR	SWITCH, BODY CIRCUITS, MID with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches	\$790.00
8WDG	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$211.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	\$193.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XHD	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	\$397.00
8XJE	TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	\$197.00
8XNY	HEADLIGHTS Halogen	\$0.00
9AAC	LOGOS EXTERIOR Model Badges, Shipped Loose, Located in Cab	\$0.00
9AAH	LOGOS EXTERIOR, ENGINE Badge Shipped Loose	\$0.00
9ANG	HOOD, HATCH (01) for Servicing	\$444.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
9HBM	GRILLE Stationary, Chrome	\$0.00
9WAC	BUG SCREEN Mounted Behind Grille	\$131.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	\$0.00
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	\$500.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	\$98.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$353.00
12ESN	ENGINE, DIESEL {Cummins L9 350} EPA 2021, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	\$9,757.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	\$0.00
	<u>Includes</u> : FAN Nylon	
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler	\$0.00
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	\$352.00
12VJC	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2022	\$350.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	\$0.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control	\$0.00
12WCG	HOSE CLAMPS, RADIATOR HOSES {R.G. Ray Mini Flex Seal} Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.	\$54.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	\$6,476.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$50.00
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	\$61.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	\$0.00
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	\$141.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	\$0.00
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	\$116.00
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	\$0.00
14AHJ	AXLE, REAR, SINGLE {Dana Spicer S30-190D} Single Reduction, 30,000-lb Capacity, Driver Control Locking Differential, W Wheel Ends . Gear Ratio: 5.38	\$7,441.00
14SAL	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs	\$305.00
14WMH	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints	\$214.00
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	\$260.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$89.00
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	\$123.00
15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	\$689.00
16030	CAB Conventional, Day Cab	\$0.00
16ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	\$98.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	\$923.00
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer	\$0.00

Includes

: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for

: GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure

: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	\$33.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNV	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	\$157.00
16RPX	SEAT, PASSENGER {National} Air-Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment	\$568.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	\$118.00
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$267.00
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"	
16VKK	CAB INTERIOR TRIM Diamond, for Day Cab	\$548.00
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted : SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side	
16VSL	WINDSHIELD Heated, Single Piece	\$632.00
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	\$25.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
16WSL	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black 7.5" Sq.	\$213.00
16XJP	INSTRUMENT PANEL Wing Panel	\$333.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	\$30.00
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	\$777.00
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	\$224.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$127.00
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	\$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	\$24.00
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil	\$59.00
7382155444	(4) TIRE, REAR 12R22.5 Load Range H HDR2+ (CONTINENTAL), 479 rev/mile, 75 MPH, Drive	\$1,532.00
7792545438	(2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	\$908.00
	Total of Product Features	\$158,258.00
	Services Section:	
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	\$0.00
	Total of Service Features	\$0.00
	Total List Price Including Options:	\$158,258.00
Body/Allied Equipment		
<u>Code</u>	<u>Description</u>	<u>List</u>
1	Viking equipment	\$124,618.00
	Total Body Allied:	\$124,618.00
Goods Purchased		
<u>Code</u>	<u>Description</u>	<u>List</u>

<u>MSRP Chassis Options</u>	<u>56,772.00</u>
<u>Viking Cive Equipment</u>	<u>126,845.30</u>

WARRANTY AND LOCAL PURCHASES

<u>40UDR</u>	<u>Cummins 60 Month Engine and After Treatment</u>	<u></u>
	<u>Warranty</u>	<u>5,000.00</u>
<u>40TVW</u>	<u>Allison 60 Month Warranty</u>	<u>1,264.00</u>
<u>40LUY</u>	<u>Major Component Warranty</u>	<u>620.00</u>
		<u>6884.00</u>
		<u>X 75%</u>
		<u>5,163.00</u>

LETTER, PURCHASE ORDER OR VOUCHER MUST BE MADE OUT TO:

NAVISTAR, INC.
399 Albany Shaker Road
Suite 202
Loudonville, NY 12211

PRICE PACKAGE	\$ <u>259,820.50</u>
DISCOUNT ON OPTIONS 15%	\$ <u>(8,515.80)</u>
ADDITIONAL DISCOUNT	\$ <u>(23,009.50)</u>
TOTAL DELIVERED PRICE	\$ <u>228,295.20</u>

WB 173 CA/CT 98 AF 61 RATIO 5.38
 PAINT COLOR Orange Paint Code 0311



Cives Corporation, dba
Viking Cives (USA)
14331 Mill Street
Harrisville, NY 13648
Phone: (315) 543-2321
Fax: (315) 543-2366
www.vikingcives.com

QUOTATION

Quote ID: 145-B

Page 1 of 4

ONONDAGA 2018
Catalog

Customer: TOWN OF CLIFTON PARK
Contact:
Address: 639 CLIFTON PARK CENTER ROAD

CLIFTON PARK, NY 12065

Phone: 518-371-7821
Fax:
Attn: DAHN BULL

Quote Number: 145-B
Quote Date: 1/12/2022
Quote valid until: 2/12/2022
SINGLE AXLE PLOWS
AND DUMP BODY
For: *RH-TEF, Suburban
Mod, 11' Body Option
** 11' Body ILO 10'
Terms: Net 30 days
Salesperson: DAVE MCBURNIE
FOB: Destination

QUANTITY	DESCRIPTION		
	HITCH FOR FACTORY MOUNTS - Hitches with mtg. bolts & nuts, pins (P10)		
1	S10500F - Custom Hitch Plow & Wing Mount-Power Tilt (incl. yoke)		
1	S10996 - Access Step		
1	S11010 - 4" x 10" DA Cylinder		
1	S12200 - Pump Bracket, Chelsea PTO		
1	S13600 - UQH Truck Half		
1	S75037 - Lift Group - Double Chain		
1	S15001F - Plow Angle Hose Connecting Bracket w/fittings and disconnects (std.)		
1	S15100F - Quick Disconnects for Lift Cylinder		
	HYDRAULICS		
1	S20100F - Permco P3000 Tandem Pump w/Chelsea PTO - cable shift (29 gpm)		
1	S22030F - 40 Gallon (RH) Cabinet Mount Reservoir (use w/ S40451 Patrol Mnt)		
2	S22110 - Hydraulic Oil Line Shut Off (1-1/4" Standard) (each)		
1	S22117F - Low Oil Sensor (for cabinet tank)		
1	S22120 - Return Line Manifold		
1	S23140 - Five Spool Valve		
1	S24200F - Cab Control, One Handle Floor Mount-air operated		
1	S24240F - Cab Control, Four Handle Pedestal Mount-air operated		
1	S24280F - Regulator/Oiler/Separator Kit for Units with Two Air Cab Controls		
1	S26430SF - Hose Kit - Full Mount with SS tubing pressure lines to front of truck		
	SANDER CONTROLS		
1	S20227X - Force America SSC3100-WP Electronic Sander Control		
1	S25015 - Controller Plumbed to Rear of Truck Cab, w/ Stainless Pressure Lines		
1	S20001F - VariTech Manual Electronic Pre-Wet Pump & Controller		
	FRONT MAST		
1	S31501F - FAH48 All Hydraulic Assembly w/mtg. brk't (3 x 48 cyl.)		
1	S33300F - Full Trip Hinge		
1	S34000F - Quick Disconnects for Front Wing Cylinder (1 per front mast)		



Cives Corporation, dba
 Viking Cives (USA)
 14331 Mill Street
 Harrisville, NY 13648
 Phone: (315) 543-2321
 Fax: (315) 543-2366
 www.vikingcives.com

QUOTATION

Quote ID: 145-B

Page 2 of 4

ONONDAGA 2018
 Catalog

QUANTITY	DESCRIPTION		
	REAR MAST		
1	S40401F - RH Hydraulic Patrol Rear Support - Over the Frame, removable		
1	S40451 - Rear Support Valve Enclosure w/ Tank Mnt, Over Frame		
	FRONT PLOW		
1	S54057 - R114254TEF 11' Trip Edge RH Flare Moldboard		
1	S52141HD - Sabre HD Carbide Blade for 11' Plow Blade		
1	S52331F - Pushframe Twin Cyl 2 Stage Pow Rev HD TE-FA		
1	S54261 - Brace Arm Option (2 Stage) (pair)		
1	S50526 - UQH Hitch Female (plow half)		
1	S52530 - Two Chain Lift		
1	S54500 - 10 Degree Moldboard Shoes (each)		
1	S54506 - Sabre Curb Shoe for (TE) Moldboard		
1	S54620 - Rubber Deflector Option 12" wide - for 11' Moldboard		
1	S52785 - Plow Markers for reversible moldboards, 28" high		
	HEAVY DUTY WING PLOW - includes one shoe, (no blades)		
1	S60019 - 1112WHD RH Suburban Wing Moldboard		
1	S54506X - Curb Shoe for Wing Plow		
1	S60300 - 10 deg. Fabricated Shoe (total of 2)		
1	S52146HD - Sabre HD Carbide Blade for 11' RH Wing		
1	S61003F - HD Full Trip Hydraulic Arms (cushion spring lower)		
	ACCESSORIES		
1	S70006 - Plow Lights Heated LED		
3	S89313F - LED Worklight - 704202142 - ABL Heated LED (1) wing, (2) spinners		
1	S70121F - LED Lights Stop/Tail/Turn - back of body (pair)		
1	S70386F - LED Back Up Lights - back of body (pair)		
4	S70388F - LED Strobe Amber Flashing Lights (pair) (4) rear body, (4) cabshield		
1	S89333F - MC16MA - Whelen LED Mini- Bar light, Amber, Magnet Mount		
1	S70135F - Pintle Hook (25 ton) and Plate		
1	S89319F - Glad Hands		
1	S70338F - Shovel Holder for Dump Body		
1	ON11072X - Tailgate Safety Lock Kit		
	VIKING PROLINE HEAVYWEIGHT (HW II) COMBINATION BODY		
	Includes the following Standard Equipment:		
	Air Tailgate, Conveyor Return Poly Cover		
	3/16" Corten - Rust Resistant Alloy, 65,000 psi Tensile, 50,000 psi Yield Strength		
	1/4" Hardox Conveyor Floor Wear Plate		
	1/4" Corten Formed Longsills with Auto Tensioning System		
	Single Direction Main Conveyor with Planetary Drive (Front or Rear)		
	667X Conveyor Chain with Flights Every Other Link		
	Steel Conveyor Cover		
	Access Ladder and Zinc Primer		



Cives Corporation, dba
 Viking Cives (USA)
 14331 Mill Street
 Harrisville, NY 13648
 Phone: (315) 543-2321
 Fax: (315) 543-2366
 www.vikingcives.com

QUOTATION

Quote ID: 145-B

Page 3 of 4

ONONDAGA 2018
 Catalog

QUANTITY	DESCRIPTION		
1	Auto Chain Tensioner ON10141X - Proline (HW II) PL112HW II 10' Combination Body Includes: PL1112HW-II 11' Combination body w CS-94 Hoist Proline w/ Bi-Di Main Conveyor SS Body Construction Front LH Discharge Cross Conveyor w/ 16" Poly Spinner SS Cross Conveyor Frame Construction ILO Std. S70822 - Spinner Chute Relocation Kit Rear Discharge Spinner (DOT Fold-up Style) Main Conveyor Chain Flites Every Link High Tensile Conveyor Cover ILO Std Coal door in tailgate w/ adjustable feed gate Poly return cover extension 1/2 Cabshield - Stainless - 24" Cab Shield w/ 2 Oval Light Holes in Front and 1 Per Side Rear Spreader Apron SS (VCU #11303075) Pre-Wet w/ Carbon Trays & Brackets (per pair) 1011HW II Plumbing Kit For Saddle Tanks - Pressure Fill only, 2" Cam lock Fill SS Trays Upgrade 1011HW-II S70510 - Dump Body Install Hardware Kit		
1	Pioneer EDD Series Tarping System - includes windscreen and HD mesh cover		
1	GS71278F - PIONEER EDD-1500DS - Electric Direct Drive Heavy Duty System - for 8' to 11' Proline Body		
1	GS71215 - Spring Loaded Tension Hoop (steel)		
	FACTORY INSTALL		
1	S79010F - Factory Install - Full Mount Plow System		
1	S79100F - Factory Install - Plow Lights		
1	S79110F - Factory Install - Wing Light		
1	S79115F - Factory Install - Sander Light		
1	S79117F - Factory Install - Strobe Light on Cab Roof		
1	S79150F - Factory Install - Dump Valve Section		
1	S79180F - Factory Install - Electric Spreader control (plumbed to rear of cab)		
1	S79220F - Factory Install - Dump Body - Combination Style (Bi-directional)		
1	S79221F - Factory Install - Liquid Spray Prewet System		
1	S79310F - Factory Install - Tarp System, electric		
This Equipment Requires 107" CA, Min 60" AF Provide Tailplates with Hitch Install spare airline in pedestal for emergency repair Front mud flap fender panel extension *TRUCK MUST BE ABLE TO FIT UNDER CARLTON RD BRIDGE*		Quote Total:	\$180,879.00
		Discount:	(\$54,263.70)



Cives Corporation, dba
Viking Cives (USA)
14331 Mill Street
Harrisville, NY 13648
Phone: (315) 543-2321
Fax: (315) 543-2366
www.vikingcives.com

QUOTATION

Quote ID: 145-B

Page 4 of 4

ONONDAGA 2018
Catalog

QUANTITY	DESCRIPTION		
	*VCU – Order Body with: Rear post light holes in raised position, Ladder mounted at left front, Inside Steps, No tarp holes in fenders, Vertical rear posts, Short fender mod, Poly undercover extended to front, Outboard gate chain grabs	Total Cost For Equipment:	\$126,615.30
	Delivery to Truck Dealer	Charges	230
		Total Due	\$126,845.30

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the Home Office of the Seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on costs and conditions existing on date of quotation and are subject to change by the Seller before final acceptance.

- ♦ Typographical and stenographic errors subject to corrections. Purchaser agrees to accept either overage or shortage not in excess of ten percent to be charged pro-rata. Purchaser assumes liability for patent and copyright infringement when goods are made to Purchaser's specifications. When quotation specifies material to be furnished by the purchaser, ample allowance must be made for reasonable spoilage and material must be of suitable quality to facilitate efficient production.
- ♦ Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on Purchaser's formal order will not be binding on the Seller.
- ♦ Unless otherwise stated, Installation charges do not include modifications to exhaust systems, cab protectors or bumpers.

NYS MUNICIPAL QUOTE FORM


CONTRACT# 8996 Heavy/Medium

DATE 1/11/2022

Municipality Town of Clifton Park
Address 1 Town Hall Plaza
City Clifton Park NY 12065

Telephone 518-370-7108
Fax _____
Contact Dahn Bull

Model	Description	List base price	\$
<u>HX520</u>	<u>Dump/Plow/Wing</u>	<u>231,952.00</u>	
Chassis Contract Price Factor		<u>.55%</u>	
Subtotal Chassis Contract Price		\$	<u>127,573.60</u>



Model Profile 2024 HX520 SFA (HX520)

AXLE CONFIG:	6X4
APPLICATION:	Front Plow and Wing with Spreader
MISSION:	Requested GVWR: 66000. Calc. GVWR: 66000. Calc. GCWR: 140000 Calc. Start / Grade Ability: 31.05% / 2.54% @ 55 MPH Calc. Geared Speed: 79.3 MPH
DIMENSION:	Wheelbase: 240.00, CA: 150.00, Axle to Frame: 81.00
ENGINE, DIESEL:	{Cummins X15 450 V} Productivity Series, EPA 2021, 450HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, TANDEM:	{Dana Spicer D46-172DHP} Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear & Rear-Rear Axle, R Wheel Ends Gear Ratio: 4.56
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range H HDW2 (CONTINENTAL), 495 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX EX 460} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
PAINT:	Cab schematic 100LY Location 1: 0311, Omaha Orange (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
HX52000	Base Chassis, Model HX520 SFA with 240.00 Wheelbase, 150.00 CA, and 81.00 Axle to Frame.	\$231,952.00
1AMS	CROSSMEMBER, FRAME TIE for Heavy Duty	\$258.00
1AND	AXLE CONFIGURATION {Navistar} 6x4	\$0.00
	<u>Notes</u> : Pricing may change if axle configuration is changed.	
1CGD	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.50" x 3.750" x 0.500" (317.5mm x 95.25mm x 12.7mm); 480.8" (12212mm) Maximum OAL	\$1,505.00
1LLW	BUMPER, FRONT Swept Back 40-Degrees, Steel, Painted, Heavy Duty	\$0.00
1SAP	CROSSMEMBER, REAR, AF (1) 5-Piece	\$162.00
1WCP	FRAME EXTENSION, FRONT Integral; 27" in Front of Grille, Includes Crossmember for Front PTO	\$695.00
1WXD	WHEELBASE RANGE 211" (535cm) Through and Including 256" (650cm)	\$833.00
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	\$2,584.00
3AEX	SUSPENSION, FRONT, SPRING Two Stage Multileaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers	\$856.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE SR-7 with relay valve for 6x4/8x6	
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$542.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	(\$182.00)
4EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	\$0.00
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 Sqn	\$20.00
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Sqn Spring Brake	\$300.00
4LAG	SLACK ADJUSTERS, FRONT {Gunitex} Automatic	\$0.00
4LGG	SLACK ADJUSTERS, REAR {Gunitex} Automatic	\$0.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VGN	AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	\$432.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$0.00
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$140.00
4WDW	BRAKE CHAMBERS, POSITION on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)	\$48.00
4WRJ	AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer	\$125.00
4WXR	DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$0.00
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$2,848.00)
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 20,000-lb Capacity	(\$1,068.00)
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	\$0.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
5PUB	STEERING GEAR (2) {Sheppard M100/HD94} Dual Power	\$1,678.00
6DGX	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$196.00
7BEU	AFTERTREATMENT COVER Aluminum	\$278.00
7BLY	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	\$0.00
7SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	\$0.00
7WBA	TAIL PIPE (1) Turnback Type, Bright	\$208.00
7WDM	EXHAUST HEIGHT 10'	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u>	
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel	
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: STARTER SWITCH Electric, Key Operated	
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	\$46.00
8836	HORN, AIR (2) Single Bell, Organ Tone, Extra Long, Chrome	\$110.00
8GXJ	ALTERNATOR {Leece-Neville AV1160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8HAU	BODY BUILDER WIRING INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn	\$302.00
8MJV	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud	\$356.00
8RBZ	SPEAKER, AUXILIARY, CB RADIO with Jack for CB; Mounted Left Side Above Driver's Door	\$0.00
8REA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$163.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	\$90.00
8RNB	CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, One Antenna and Antenna Base with Wiring on Left Side Mirror	\$202.00
8RPR	ANTENNA for Increased Roof Clearance Applications	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
8THV	DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation	\$14.00
8TME	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers with Amber or Side Turn Lamps	\$439.00
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	\$0.00
8WDG	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$211.00
8WEZ	TURN SIGNAL SWITCH Self-Canceling	\$0.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$42.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	\$42.00
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XNB	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Locks with Padlock, Cab Mounted	\$397.00
8XNY	HEADLIGHTS Halogen	\$0.00
9AAC	LOGOS EXTERIOR Model Badges, Shipped Loose, Located in Cab	\$0.00
9AAH	LOGOS EXTERIOR, ENGINE Badge Shipped Loose	\$0.00
9ASE	FRONT END Tilting, Composite	\$0.00
9HCN	GRILLE Chrome Vertical Accent Bars, with Black Mesh	\$0.00
9WAC	BUG SCREEN Mounted Behind Grille	\$131.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	\$500.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10ADT	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Two Year Data Plan	\$620.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	\$0.00
10WLC	GCWR RANGE GCWR Equal to or Less than 80,000-lb, Higher GCWR May Result in Reduced Engine Performance While Operating in Extreme Hot Weather Conditions	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$353.00
12864	BLOCK HEATER, ENGINE {Phillips} 120V/1500W <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	\$156.00
12ETL	ENGINE, DIESEL {Cummins X15 450 V} Productivity Series, EPA 2021, 450HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)	\$498.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	\$0.00
12VCC	AIR CLEANER Single Element, with Integral Pre-Cleaner, Integral Snow Valve and In-Cab Control, Engine Mounted	\$222.00
12VHZ	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2022	\$350.00
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	\$29.00
12WGA	HOSE CLAMPS, RADIATOR HOSES , Mechanical Type; with Constant-Tension Functionality	\$54.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00
12XBN	RADIATOR Aluminum, Welded, Cross Flow, Front to Back System, 1084 SqIn, with 866 SqIn Charge Air Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber	\$0.00
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
13AUW	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	\$15,239.00
13WCT	OIL COOLER, AUTO TRANSMISSION {Champ} Remote Mounted	\$3,397.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$50.00
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	\$405.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	\$0.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	\$0.00
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/ Air Solenoid, Piping and Wiring	\$116.00
14862	PDL WARNING BUZZER Power Divider Lock	\$50.00
14GKK	AXLE, REAR, TANDEM {Dana Spicer D46-172DHP} Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear & Rear-Rear Axle, R Wheel Ends . Gear Ratio: 4.56	\$6,486.00
14UMX	SUSPENSION, REAR, TANDEM {Hendrickson HMX EX 460} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	\$1,164.00
14WAT	REBOUND CONTROL STOPS with Dual Rebound Strap	\$388.00
14WBN	DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash	\$265.00
14WCR	TRANSVERSE TORQUE RODS {Hendrickson} TRAAX Rod, Transverse Only	\$172.00
14WMK	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 65 thru 89.99 Pints	\$488.00
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	\$260.00
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	\$0.00
15LNA	FUEL HEATER {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	\$148.00
15SGL	FUEL TANK Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	\$353.00
15WDY	DEF TANK 15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$108.00
16030	CAB Conventional, Day Cab	\$0.00

Includes

: CAB REAR SUSPENSION Air
 : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
 : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
 : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area
 : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger
 : COURTESY LIGHT (2) Driver and Passenger Door Mounted
 : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	: FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side : READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door	
16ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	\$98.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	\$0.00
	<u>Includes</u> : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	\$33.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16LWM	SEAT, DRIVER {ISRI} Series 400, Air Suspension, High Back, Mordura, Double Chamber Lumbar, Heat, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	\$250.00
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	\$236.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$667.00
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"	
16SNY	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Bright, 7.5" x 7"	\$270.00
16SRR	SEAT, PASSENGER {ISRI} Series 400, Air Suspension, High Back, Mordura, Double Chamber Lumbar, Heat, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	\$1,412.00
16VSL	WINDSHIELD Heated, Single Piece	\$632.00
16VVB	CAB INTERIOR TRIM Diamond Elite, for Day Cab	\$560.00
	<u>Includes</u> : DOOR TRIM, INTERIOR Bright Handle : INSTRUMENT PANEL TRIM Black with Woodgrain Accent, Black Gauges with Chrome Bezels	

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	: SUN VISOR (4) Padded Vinyl, 2 Moveable (Front-to-Side) Primary Visors and 2 Flip-down Auxiliary Visors; Vanity Mirrors and Toll Ticket Straps Driver and Passenger Sides	
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	\$25.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
16XJP	INSTRUMENT PANEL Wing Panel	\$0.00
16XRX	MODESTY PANEL Painted	\$0.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	\$30.00
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	\$618.00
27DPN	WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	\$285.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$462.00
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	\$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	\$48.00
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil	\$59.00
7382135430	(8) TIRE, REAR 11R22.5 Load Range H HDW2 (CONTINENTAL), 495 rev/mile, 75 MPH, Drive	\$1,992.00
7792545438	(2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	\$1,058.00
	Total of Product Features	\$282,632.00
	Services Section:	
40132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	\$0.00
	Total of Service Features	\$0.00
	Total List Price Including Options:	\$282,632.00
Body/Allied Equipment		
<u>Code</u>	<u>Description</u>	<u>List</u>
1	Viking Equipment	\$104,219.90
	Total Body Allied:	\$104,219.90
Goods Purchased		
<u>Code</u>	<u>Description</u>	<u>List</u>

<u>MSRP Chassis Options</u>	<u>50,680.00</u>
<u>Viking Cives Equipment</u>	<u>104,219.90</u>

WARRANTY AND LOCAL PURCHASES

<u>40UAS</u>	<u>60 Month or 100,000 Mile Engine and</u>	
	<u>After Treatment Warranty</u>	<u>3,000.00</u>
<u>40LXD</u>	<u>60 Month or 100,000 Mile Major Component</u>	<u>980.00</u>
<u>40TWM</u>	<u>Allison Transmission 5 Year Warranty</u>	<u>1,952.00</u>
		<u>5,932.00</u>
		<u>X 75 %</u>
		<u>4,449.00</u>

LETTER, PURCHASE ORDER OR VOUCHER MUST BE MADE OUT TO:

NAVISTAR, INC.
399 Albany Shaker Road
Suite 202
Loudonville, NY 12211

PRICE PACKAGE	\$ <u>286,922.50</u>
DISCOUNT ON OPTIONS 15%	\$ <u>(7,602.00)</u>
ADDITIONAL DISCOUNT	\$ <u>(37,756.50)</u>
TOTAL DELIVERED PRICE	\$ <u>241,564.00</u>

WB	<u>240</u>	CA/CT	<u>150</u>	AF	<u>81</u>	RATIO	<u>4.56</u>
PAINT COLOR	<u>Orange</u>	Paint Code	<u>0311</u>				



Cives Corporation, dba
Viking Cives (USA)
14331 Mill Street
Harrisville, NY 13648
Phone: (315) 543-2321
Fax: (315) 543-2366
www.vikingcives.com

QUOTATION

Quote ID: 133-A

Page 1 of 4

ONONDAGA 2018
Catalog

Customer: TOWN OF CLIFTON PARK
Contact:
Address: 639 CLIFTON PARK CENTER ROAD

CLIFTON PARK, NY 12065

Phone: 518-371-7821
Fax:
Attn: DAHN BULL

Quote Number: 133-A
Quote Date: 1/10/2022
Quote valid until: 2/10/2022
TANDEM PLOWS &
For: DUMP BODY
*DH, Harder ILO HW
Terms: Net 30 days
Salesperson: DAVE MCBURNIE
FOB: Destination

QUANTITY	DESCRIPTION		
	HITCH FOR FACTORY MOUNTS - Hitches with mtg. bolts & nuts, pins (P10)		
1	S10500F - Custom Hitch Plow & Wing Mount-Power Tilt (incl. yoke)		
1	S10996 - Access Step		
1	S11010 - 4" x 10" DA Cylinder		
1	S12200 - Pump Bracket, Chelsea PTO		
1	S13600 - UQH Truck Half		
1	S75037 - Lift Group - Double Chain		
1	S15001F - Plow Angle Hose Connecting Bracket w/fittings and disconnects (std.)		
1	S15100F - Quick Disconnects for Lift Cylinder		
	HYDRAULICS		
1	S20100F - Permco P3000 Tandem Pump w/Chelsea PTO - cable shift (29 gpm)		
1	S22030F - 40 Gallon (RH) Cabinet Mount Reservoir (use w/ S40451 Patrol Mnt)		
2	S22110 - Hydraulic Oil Line Shut Off (1-1/4" Standard) (each)		
1	S22117F - Low Oil Sensor (for cabinet tank)		
1	S22120 - Return Line Manifold		
1	S23140 - Five Spool Valve		
1	S24200F - Cab Control, One Handle Floor Mount-air operated		
1	S24240F - Cab Control, Four Handle Pedestal Mount-air operated		
1	S24280F - Regulator/Oiler/Separator Kit for Units with Two Air Cab Controls		
1	S26430SF - Hose Kit - Full Mount with SS tubing pressure lines to front of truck		
	SANDER CONTROLS		
1	S20227X - Force America SSC3100-WP Electronic Sander Control		
1	SFP0033F - Harder Flow Control Plumbing Kit - Stainless		
1	S20001F - VariTech Manual Electronic Pre-Wet Pump & Controller		
	FRONT MAST		
1	S31501F - FAH48 All Hydraulic Assembly w/mtg. brk't (3 x 48 cyl.)		
1	S33300F - Full Trip Hinge		
1	S34000F - Quick Disconnects for Front Wing Cylinder (1 per front mast)		
	REAR MAST		



Cives Corporation, dba
 Viking Cives (USA)
 14331 Mill Street
 Harrisville, NY 13648
 Phone: (315) 543-2321
 Fax: (315) 543-2366
 www.vikingcives.com

QUOTATION

Quote ID: 133-A

Page 2 of 4

ONONDAGA 2018
 Catalog

QUANTITY	DESCRIPTION		
1	S40401F - RH Hydraulic Patrol Rear Support - Over the Frame, removable		
1	S40451 - Rear Support Valve Enclosure w/ Tank Mnt, Over Frame		
	FRONT PLOW		
1	S54057 - R114254TEF 11' Trip Edge RH Flare Moldboard		
1	S52141HD - Sabre HD Carbide Blade for 11' Plow Blade		
1	S52331F - Pushframe Twin Cyl 2 Stage Pow Rev HD TE-FA		
1	S54261 - Brace Arm Option (2 Stage) (pair)		
1	S50526 - UQH Hitch Female (plow half)		
1	S52530 - Two Chain Lift		
1	S54500 - 10 Degree Moldboard Shoes (pair)		
1	S54506 - Sabre Curb Shoe for (TE) Moldboard		
1	S50620 - Rubber Deflector Option 12" wide - for 11' Moldboard		
1	S50785 - Plow Markers for reversible moldboards, 28" high		
	HEAVY DUTY WING PLOW - includes one shoe, (no blades)		
1	S60019 - 1112WHD RH Suburban Wing Weldment		
1	S54506X - Curb Shoe for Wing Plow		
1	S60300 - 10 deg. Fabricated Shoe (total of 2)		
1	S52146HD - Sabre HD Carbide Blade for 11' RH Wing		
1	S61003F - HD Full Trip Hydraulic Arms (cushion spring lower)		
	ACCESSORIES		
1	S70006 - Plow Lights Heated LED		
3	S89313X - LED Worklight - 704202142 - ABL Heated LED (1) wing, (2) spinners		
1	S70121F - LED Lights Stop/Tail/Turn - back of body (pair)		
1	S70386F - LED Back Up Lights - back of body (pair)		
4	S70388F - LED Strobe Amber Flashing Lights (pair) (4) rear body, (4) cabshield		
1	S89333F - MC16MA - Whelen LED Mini- Bar light, Amber, Magnet Mount		
1	S70135F - Pintle Hook (25 ton) and Plate		
1	S89319F - Glad Hands		
1	S70338F - Shovel Holder for Dump Body		
1	ON11072X - Tailgate Safety Lock Kit		
	BEAU-ROC DUMP BODY		
1	ON11036X - Beau-Roc 14' DH 48" x 54" - #33997		
	G4130-5-3 S/A Hoist		
	35 Ton Mtg Kit		
	1/4" HDX-450 Floor		
	1/4" HDX-450 Gate		
	0.177" HDX-450 Sides and Front		
	24" Cabshield		
	Air Gate Latch		
	10" Rear Spread Apron		
	D/A Gate Chains		



Cives Corporation, dba
 Viking Cives (USA)
 14331 Mill Street
 Harrisville, NY 13648
 Phone: (315) 543-2321
 Fax: (315) 543-2366
 www.vikingcives.com

QUOTATION

Quote ID: 133-A

Page 3 of 4

ONONDAGA 2018
 Catalog

QUANTITY	DESCRIPTION		
1	Integrated Body Prop Harder Door Cutout in Center (2) Coal Doors in Gate, R & L Vertical Gate Posts w/ (3) Oval Light Holes S70500 - Dump Body Installation Hardware Kit - Contractor Style		
1	ON11169X - HARDER (Slide In Type) Stainless Steel ES144 for Dump Box with Carbon All-In-One Gate Kit		
1	Pioneer EDD Series Tarping System - includes windscreen and HD mesh cover GS71195F - PIONEER EDD-1500DS - Electric Direct Drive Heavy Duty System - for 12' to 15' Body		
1	GS71215 - Spring Loaded Tension Hoop (steel)		
	FACTORY INSTALL		
1	S79010F - Factory Install - Full Mount Plow System		
1	S79100F - Factory Install - Plow Lights		
1	S79110F - Factory Install - Wing Light		
1	S79115F - Factory Install - Sander Light		
1	S79117F - Factory Install - Strobe Light on Cab Roof		
1	S79150F - Factory Install - Dump Valve Section		
1	S79190F - Factory Install - Electric Spreader Control (plumbed to rear of truck)		
1	S79200F - Factory Install - Dump Body - Contractor Style		
1	S79420F - Factory Install - Sander - Slide In Conveyor		
1	S79310F - Factory Install - Tarp System, electric		
This Equipment Requires 130" CA, Min 60" AF Provide Tailplates with Hitch Install spare airline in pedestal for emergency repair Front mud flap fender panel extension TRUCK MUST BE ABLE TO FIT UNDER CARLTON RD BRIDGE		Quote Total:	\$148,557.00
Leave sander lines long enough to raise body		Discount:	(\$44,567.10)
*VCU - Order body w/ vertical gate, accurate cab height		Total Cost For Equipment:	\$103,989.90
Delivery to Truck Dealer		Charges	230
		Total Due	\$104,219.90

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT



Cives Corporation, dba
Viking Cives (USA)
14331 Mill Street
Harrisville, NY 13648
Phone: (315) 543-2321
Fax: (315) 543-2366
www.vikingcives.com

QUOTATION

Quote ID: 133-A

Page 4 of 4

ONONDAGA 2018
Catalog

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the Home Office of the Seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on costs and conditions existing on date of quotation and are subject to change by the Seller before final acceptance.

- ◆ Typographical and stenographic errors subject to corrections. Purchaser agrees to accept either overage or shortage not in excess of ten percent to be charged pro-rata. Purchaser assumes liability for patent and copyright infringement when goods are made to Purchaser's specifications. When quotation specifies material to be furnished by the purchaser, ample allowance must be made for reasonable spoilage and material must be of suitable quality to facilitate efficient production.
- ◆ Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on Purchaser's formal order will not be binding on the Seller.
- ◆ Unless otherwise stated, Installation charges do not include modifications to exhaust systems, cab protectors or bumpers.